

Exploring Coombe Bissett Down Nature Reserve - by all-terrain mobility scooter


This map shows a route based on an
audit using a Trampler scooter.

The route may be suitable for other types
of all-terrain mobility scooter but this
cannot be guaranteed and therefore
any reliance on this information is entirely
at your own risk. A Trampler is capable of
25% gradients (up/down and side slope)
while additional specifications can be
found on the manufacturer's website –
www.trampler.co.uk

The routes are generally unsuitable for
wheelchairs or standard mobility
scooters although the Easy Access route
may be suitable.

RADAR Gates

Please note that the core area of the
Reserve is accessed via gates fitted with
a RADAR lock. The Reserve is not staffed
so you will need to bring your own
RADAR key.



Note A



The area shown in red above is sloped and results in the most direct path (dashed line) having a cross gradient which is potentially dangerous when using a mobility scooter.

It is therefore advised that an alternative route is used (shown in purple) a bit further down the slope, running just above the next tree line, where the cross gradient is less significant.

Note B



As the farm gate on the main route, shown with the blue dotted line may be closed, it is better to use the smaller gate round to the side.

However, as the slope next to this smaller gate has a significant gradient, it is safest for a scooter to approach along the bottom of the valley and then drive directly uphill towards the gate (as shown in purple on the photo above).